

Publikacje naukowe:

[Psychological principles in regard to the interview with the deceased donor's family.](#)

Trzcińska M, Woderska A, Włodarczyk Z.

Anaesthesiol Intensive Ther. 2014 Jul-Aug;46(3):200-7. doi: 10.5603/AIT.2014.0035.

[Diffusion-weighted MR imaging of transplanted kidneys: Preliminary report.](#)

Wypych-Klunder K, Adamowicz A, Lemanowicz A, Szczęsny W, Włodarczyk Z, Serafin Z.

Pol J Radiol. 2014 May 8;79:94-8. doi: 10.12659/PJR.890502. eCollection 2014.

[The efficacy and safety of cyclosporine reduction in de novo renal allograft patients receiving sirolimus and corticosteroids: results from an open-label comparative study.](#)

Mühlbacher F, Neumayer HH, del Castillo D, Stefoni S, Zygmunt AJ, Budde K; European Rapamune Cyclosporine Minimization Study Group.

Transpl Int. 2014 Feb;27(2):176-86. doi: 10.1111/tri.12228. Epub 2013 Nov 25.

[Neither cyclosporine nor tacrolimus deteriorate endothelial function in renal transplant recipients assessed with reactive hyperemia index.](#)

Grabczewska Z, Obońska K, Adamowicz A, Kasprzak M, Włodarczyk Z, Kubica J.

Transplant Proc. 2013 May;45(4):1567-70. doi: 10.1016/j.transproceed.2012.12.020.

[Factors associated with glucose metabolism disorders after kidney transplantation.](#)

Brzezińska B, Junik R, Kamińska A, Włodarczyk Z, Adamowicz A.

Endokrynol Pol. 2013;64(1):21-5.

[A multicenter, randomized, double-blind study comparing different FK778 doses \(manitimus\) with tacrolimus and steroids vs. MMF with tacrolimus and steroids in renal transplantation.](#)

Włodarczyk Z, Vanrenterghem Y, Krämer BK, Squifflet JP, Ostrowski M.

BMC Nephrol. 2012 Jul 26;13:68. doi: 10.1186/1471-2369-13-68.

[The role of the kidney in the systemic elimination of interleukin 6, platelet-derived growth factor and transforming growth factor beta.](#)

Nowak M, Wyczalkowska-Tomasik A, Włodarczyk Z, Paczek L.

Cytokine. 2012 Aug;59(2):258-63. doi: 10.1016/j.cyto.2012.04.041. Epub 2012 May 20.

[Liver procurement from a brain-dead kidney transplant recipient--a case report.](#)

Romatowska E, Woderska A, Kusza K, Słupski M, Neumann M.

Anaesthesiol Intensive Ther. 2012 Jul-Sep;44(3):150-3.

[A brain dead woman, giving birth in the 23rd week of pregnancy, used as an organ donor: a case report.](#)

Woderska A, Jasinski M, Arszynska-Lopatka D, Słupski M, Janiszewska T, Włodarczyk Z.

Ann Transplant. 2012 Jan-Mar;17(1):113-6.

[Results of renal transplantation from expanded criteria deceased donors - a single-center experience.](#)

Głyda M, Włodarczyk Z, Czapiewski W.

Ann Transplant. 2012 Jan-Mar;17(1):35-42.

[Tacrolimus pharmacokinetics of once- versus twice-daily formulations in de novo kidney transplantation: a substudy of a randomized phase III trial.](#)

Włodarczyk Z, Ostrowski M, Mourad M, Krämer BK, Abramowicz D, Oppenheimer F, Miller D, Dickinson J, Undre N.

Ther Drug Monit. 2012 Apr;34(2):143-7. doi: 10.1097/FTD.0b013e31824d1620.

[Progressive arterial stiffening in kidney transplant recipients.](#)

Strozecki P, Adamowicz A, Kozłowski M, Włodarczyk Z, Manitius J.

Ann Transplant. 2011 Jul-Sep;16(3):30-5.

[Comparable Renal Function at 6 Months with Tacrolimus Combined with Fixed-Dose Sirolimus or MMF: Results of a Randomized Multicenter Trial in Renal Transplantation.](#)

Van Gurp E, Bustamante J, Franco A, Rostaing L, Becker T, Rondeau E, Czajkowski Z, Rydzewski A, Alarcon A, Bachleda P, Samlik J, Burmeister D, Pallardo L, Moal MC, Rutkowski B, Włodarczyk Z.
J Transplant. 2010;2010. pii: 731426. doi: 10.1155/2010/731426. Epub 2010 Oct 5.

[Tacrolimus once daily \(ADVAGRAF\) versus twice daily \(PROGRAF\) in de novo renal transplantation: a randomized phase III study.](#)

Krämer BK, Charpentier B, Bäckman L, Silva HT Jr, Mondragon-Ramirez G, Cassuto-Viguer E, Mourad G, Sola R, Rigotti P, Mirete JO; Tacrolimus Prolonged Release Renal Study Group.
Am J Transplant. 2010 Dec;10(12):2632-43. doi: 10.1111/j.1600-6143.2010.03256.x. Epub 2010 Sep 14.

[Mass-media and the transplantation crisis: the example of Poland.](#)

Misterska E, Glowacki M, Włodarczyk Z.
Med Sci Monit. 2010 Aug;16(8):RA171-6.

[Factors associated with increased arterial stiffness in renal transplant recipients.](#)

Stróżecki P, Adamowicz A, Włodarczyk Z, Manitius J.
Med Sci Monit. 2010 Jun;16(6):CR301-6..

[Outcomes of simultaneous and delayed resections of synchronous colorectal liver metastases.](#)

Slupski M, Włodarczyk Z, Jasinski M, Masztalerz M, Tujakowski J.
Can J Surg. 2009 Dec;52(6):E241-4.

[Tacrolimus combined with two different corticosteroid-free regimens compared with a standard triple regimen in renal transplantation: one year observational results.](#)

Krämer BK, Klinger M, Włodarczyk Z, Ostrowski M, Midvedt K, Stefoni S, Citterio F, Pietruck F, Squifflet JP, Segoloni G, Krüger B, Sperschneider H, Banas B, Bäckman L, Weber M, Carmellini M, Perner F, Claesson K, Marcinkowski W, Vítko S, Senatorski G, Salmela K, Nordström J.
Clin Transplant. 2010 Jan-Feb;24(1):E1-9. doi: 10.1111/j.1399-0012.2009.01162.x. Epub 2009 Nov 18.

[Long graft cold ischemia time is associated with increased arterial stiffness in renal transplant recipients.](#)

Stróżecki P, Adamowicz A, Kozłowski M, Włodarczyk Z, Manitius J.
Transplant Proc. 2009 Nov;41(9):3580-4. doi: 10.1016/j.transproceed.2009.06.188.

[Pharmacokinetics for once- versus twice-daily tacrolimus formulations in de novo kidney transplantation: a randomized, open-label trial.](#)

Włodarczyk Z, Squifflet JP, Ostrowski M, Rigotti P, Stefoni S, Citterio F, Vanrenterghem Y, Krämer BK, Abramowicz D, Oppenheimer F, Pietruck F, Russ G, Karpf C, Undre N.
Am J Transplant. 2009 Nov;9(11):2505-13. doi: 10.1111/j.1600-6143.2009.02794.x. Epub 2009 Aug 14.

[Long-term outcomes of CMV disease treatment with valganciclovir versus IV ganciclovir in solid organ transplant recipients.](#)

Asberg A, Humar A, Jardine AG, Rollag H, Pescovitz MD, Mouas H, Bignamini A, Töz H, Dittmer I, Montejo M, Hartmann A; VICTOR Study Group.
Am J Transplant. 2009 May;9(5):1205-13. doi: 10.1111/j.1600-6143.2009.02617.x.

[Are we taking proper care of living donors? A follow-up study of living kidney donors in Poland and further management proposal.](#)

Rowinski W, Chmura A, Włodarczyk Z, Ostrowski M, Rutkowski B, Domagała P, Dziewanowski K, Matych J, Durlik M, Grenda R.
Transplant Proc. 2009 Jan-Feb;41(1):79-81. doi: 10.1016/j.transproceed.2008.08.140.

[Coronary artery calcium distribution and interscan measurement variability in end-stage renal and coronary heart disease patients.](#)

Serafin Z, Laskowska K, Marzec M, Sinjab TA, Lasek W, Włodarczyk Z.
Acta Radiol. 2009 Apr;50(3):288-95. doi: 10.1080/02841850802716701.

[An assessment of herpesvirus co-infections in patients with CMV disease: correlation with clinical and virologic outcomes.](#)

Humar A, Asberg A, Kumar D, Hartmann A, Moussa G, Jardine A, Rollag H, Mouas H, Gahlemann CG, Pescovitz MD; VICTOR study group.

Am J Transplant. 2009 Feb;9(2):374-81. doi: 10.1111/j.1600-6143.2008.02501.x. Epub 2008 Dec 15.

[Present data on organ donation and transplantation in Poland.](#)

Jarosław C, Antoszkiewicz K, Pszeny A, Malanowski P, Dudkiewicz M, Woderska A, Kobus G, Cizek M, Wałaszewski J.

Transplant Proc. 2009 Oct;41(8):2955-8. doi: 10.1016/j.transproceed.2009.08.008.

[\[The post of transplant coordinator in Polish law regulations\].](#)

Woderska A, Milecka A, Czerwiński J.

Wiad Lek. 2009;62(4):275-80. Review. Polish.

[Safety and efficacy of high dose ATG bolus administration on revascularization in kidney graft patients--long term results.](#)

Samsel R, Pliszczyński J, Chmura A, Korczak G, Włodarczyk Z, Cieciora T, Lagiewska B, Glyda M, Wyzgal J, Paczek L, Durlik M, Rowiński W.

Ann Transplant. 2008;13(1):32-9.

[Assessment of cadaveric livers discarded from transplantation. A correlation between clinical and histological parameters.](#)

Czerwiński J, Perkowska A, Mróz A, Lagiewska B, Adadyński L, Durlik M, Glyda M, Lisik W, Pacholczyk M, Paczek L, Polak W, Sledzinski Z, Wasiak D, Włodarczyk Z, Wałaszewski J, Małkowski P, Chmura A, Rowiński W.

Ann Transplant. 2007;12(2):30-6.

[\[Assessment of plasminogen activator inhibitor-1 and von Willebrand factor as a markers of endothelial function in patients with end-stage kidney disease after allotransplantation during a one-year follow-up\].](#)

Doroszewski W, Włodarczyk Z, Stróżecki P, Manitius J, Grabarczyk E, Rość D, Odrowaz-Sypniewska G.

Pol Arch Med Wewn. 2007 May-Jun;117(5-6):213-20. Polish.

[The influence of calcineurin inhibitors on pulse wave velocity in renal transplant recipients.](#)

Stróżecki P, Adamowicz A, Włodarczyk Z, Manitius J.

Ren Fail. 2007;29(6):679-84.

[Guanylate cyclase activators influence reactivity of human mesenteric superior arteries retrieved and preserved in the same conditions as transplanted kidneys.](#)

Slupski M, Szadujkis-Szadurski L, Grzešk G, Szadujkis-Szadurski R, Szadujkis-Szadurska K, Włodarczyk Z, Masztalerz M, Piotrowiak I, Jasiński M.

Transplant Proc. 2007 Jun;39(5):1350-3.

[Local recurrence and distant metastases 18 years after resection of the greater omentum hemangiopericytoma.](#)

Slupski M, Piotrowiak I, Włodarczyk Z.

World J Surg Oncol. 2007 Jun 6;5:63.

[Coronary artery calcifications in renal graft recipients at the time of transplantation.](#)

Serafin Z, Nawrocka E, Thabit SA, Lasek W, Włodarczyk Z.

Med Sci Monit. 2007 May;13 Suppl 1:83-9.

[Does the presence of unwanted dermal fibroblasts limit the usefulness of autologous epidermal keratinocyte grafts?](#)

Drewa T, Szmytkowska K, Włodarczyk Z, Sir I, Kierzenkowska-Mila C.

Transplant Proc. 2006 Nov;38(9):3088-91.

[\[Treatment diabetes by transplantation of insulin secreting cells. Part II--prevention of rejection of the transplanted cells\].](#)

Pokrywczyńska M, Drewa T, Włodarczyk Z, Dufrane D.
Pol Merkur Lekarski. 2006 May;20(119):619-21. Review. Polish.

[\[Treatment diabetes by transplantation of insulin secreting cells. Part I\].](#)

Pokrywczyńska M, Drewa T, Włodarczyk Z, Dufrane D.
Pol Merkur Lekarski. 2006 May;20(119):615-8. Review. Polish.

[Nitric oxide and thromboxane A2 modulate pulmonary pressure after ischemia and intestinal reperfusion.](#)

Słupski M, Szadujkis-Szadurska K, Szadujkis-Szadurski R, Szadujkis-Szadurski L, Włodarczyk Z, Andruszkiewicz J, Sinjab AT.
Transplant Proc. 2006 Jan-Feb;38(1):334-7.

[Superoxide anion as a marker of ischemia-reperfusion injury of the transplanted kidney.](#)

Masztalerz M, Włodarczyk Z, Czuczejko J, Słupski M, Kedzióra J.
Transplant Proc. 2006 Jan-Feb;38(1):46-8.

[Extreme attitudes toward organ transplantation: how do supporters and opponents of this method of treatment differ in Poland?](#)

Jakubowska-Winecka A, Rowiński W, Włodarczyk Z, Wójtowicz S.
Transplant Proc. 2006 Jan-Feb;38(1):11-3.

[Tacrolimus combined with two different dosages of sirolimus in kidney transplantation: results of a multicenter study.](#)

Vitko S, Włodarczyk Z, Kyllönen L, Czajkowski Z, Margreiter R, Backman L, Perner F, Rigotti P, Jaques B, Abramowicz D, Kessler M, Sanchez-Plumed J, Rostaing L, Rodger RS, Donati D, Vanrenterghem Y.
Am J Transplant. 2006 Mar;6(3):531-8.

[Two corticosteroid-free regimens-tacrolimus monotherapy after basiliximab administration and tacrolimus/mycophenolate mofetil-in comparison with a standard triple regimen in renal transplantation: results of the Atlas study.](#)

Vitko S, Klinger M, Salmela K, Włodarczyk Z, Tydén G, Senatorski G, Ostrowski M, Fauchald P, Kokot F, Stefoni S, Perner F, Claesson K, Castagneto M, Heemann U, Carmellini M, Squifflet JP, Weber M, Segoloni G, Bäckman L, Sperschneider H, Krämer BK.
Transplantation. 2005 Dec 27;80(12):1734-41.

[Glutathione and glutathione peroxidase activities in blood of patients in early stages following kidney transplantation.](#)

Zachara BA, Włodarczyk Z, Andruszkiewicz J, Gromadzinska J, Wasowicz W.
Ren Fail. 2005;27(6):751-5.

[Kidney preserving solutions containing lidocaine may increase urological complication rate after renal transplantation: an in vitro study.](#)

Drewa TA, Wolski Z, Galazka P, Włodarczyk Z, Wozniak A.
Transplant Proc. 2005 Jun;37(5):2107-10.

[Lipid metabolism in renal transplant patients receiving tacrolimus/sirolimus combination therapy.](#)

Włodarczyk Z, Vitko S, Salmela K, Czajkowski Z, Margreiter R; TERRA Study Group.
Transplant Proc. 2005 May;37(4):1871-3.

[Steroid withdrawal at 3 months after kidney transplantation: a comparison of two tacrolimus-based regimens.](#)

Włodarczyk Z, Walaszewski J, Perner F, Vitko S, Ostrowski M, Bachleda P, Kokot F, Klinger M, Szenohradszky P, Studenik P, Navratil P, Asztalos L, Rutkowski B, Kalmar KN, Hickey D.
Transpl Int. 2005 Feb;18(2):157-62.

[\[Arterio-venous hemodialysis fistula in renal transplant patients\].](#)

Włodarczyk Z, Ukleja-Adamowicz M, Adamowicz A.
Pol Arch Med Wewn. 2004 Aug;112(2):1009-13. Review. Polish.

[The effects of FK778 in combination with tacrolimus and steroids: a phase II multicenter study in renal transplant patients.](#)

Vanrenterghem Y, van Hooff JP, Klinger M, Włodarczyk Z, Squifflet JP, Mourad G, Neuhaus P, Jurewicz A, Rostaing L, Charpentier B, Paczek L, Kreis H, Chang R, Paul LC, Grinyó JM, Short C.
Transplantation. 2004 Jul 15;78(1):9-14.

[\[Effect of hypertension on function of the transplanted kidney--3 years follow-up\].](#)

Oko A, Olejnik A, Idasiak-Piechocka I, Włodarczyk Z, Głyda M, Czekalski S.
Przegl Lek. 2003;60(11):686-9. Polish.

[Selenium concentrations and glutathione peroxidase activities in blood of patients before and after allogenic kidney transplantation.](#)

Zachara BA, Włodarczyk Z, Masztalerz M, Adamowicz A, Gromadzinska J, Wasowicz W.
Biol Trace Elem Res. 2004 Jan;97(1):1-13.

[\[Analysis of the microorganisms isolated from kidney recipients treated in the Department of Clinical Transplantology and General Surgery, Medical University in Bydgoszcz in 2001 year\].](#)

Michalska A, Gospodarek E, Włodarczyk Z, Gierlotka K.
Med Dosw Mikrobiol. 2003;55(3):271-6. Polish.

[Prevalence of arterial hypertension following kidney transplantation--a multifactorial analysis.](#)

Włodarczyk Z, Głyda M, Kościana L, Kołodziejczyk J, Sulikowska B, Manitius J.
Ann Transplant. 2003;8(2):43-6.

[Function, structure, and volume of thyroid gland following allogenic kidney transplantation.](#)

Junik R, Włodarczyk Z, Masztalerz M, Odrowaz-Sypniewska G, Jendryczka E, Manitius J.
Transplant Proc. 2003 Sep;35(6):2224-6.

[Legal aspects of organ and tissue transplantation.](#)

Safjan M, Zielińska E, Nesterowicz M, Kubicki L, Kaliciński P, Rowiński W, Włodarczyk Z, Patrzalek D, Witkiewicz W.
Transplant Proc. 2003 May;35(3):1202-3.

[Legal and ethical aspects of organ transplantation in Poland: past, present, and future problems.](#)

Rowiński W, Włodarczyk Z, Wałaszewski J.
Transplant Proc. 2003 May;35(3):1189-90.

[A prospective randomized multicenter study of tacrolimus in combination with sirolimus in renal-transplant recipients.](#)

van Hooff JP, Squifflet JP, Włodarczyk Z, Vanrenterghem Y, Paczek L.
Transplantation. 2003 Jun 27;75(12):1934-9.

[Freedom from rejection and stable kidney function are excellent criteria for steroid withdrawal in tacrolimus-treated kidney transplant recipients.](#)

Włodarczyk Z, Wałaszewski J, Perner F, Vitko S, Ostrowski M, Bachleda P, Kokot F, Klinger M, Szenohradsky P, Studenik P, Navratil P, Asztalos L, Rutkowski B, Nagy KK, Hickey D.
Ann Transplant. 2002;7(3):28-31.

[Panel discussion on legal issues in Polish transplantation regulations.](#)

Włodarczyk Z.
Ann Transplant. 2002;7(4):12.

[Can the immunosuppressive \[correction of immunosuppressive\] effect of perioperative single high-dose antithymocyte globulin administration in kidney allograft recipients be due to apoptosis of activated lymphocytes?](#)

Rowiński W, Korczak-Kowalska G, Samsel R, Zderska M, Chmura A, Włodarczyk Z, Pliszczynski J, Wyzgał J, Cieciora T, Łagiewska B, Wałaszewski J, Paczek L, Lao M, Górski A.
Transplant Proc. 2002 Aug;34(5):1622-4.

[Perioperative administration of single, high-dose of ATG-Fresenius-S as an induction immunosuppressive therapy in cadaveric renal transplantation: preliminary results.](#)

Samsel R, Rowiński W, Chmura A, Włodarczyk Z, Wyzgał J, Cieciora T, Łagiewska B, Pliszczynski J, Korczak G, Paczek L, Wałaszewski J, Lao M.
Transplant Proc. 2001 Sep;33(6):2952-4.

[Parathormon, calcium, phosphorus, and left ventricular structure and function in normotensive hemodialysis patients.](#)

Stróżecki P, Adamowicz A, Nartowicz E, Odrowaz-Sypniewska G, Włodarczyk Z, Manitus J.
Ren Fail. 2001 Jan;23(1):115-26.

[Effects of pentoxifylline treatment on delayed graft function in cadaveric kidney recipients.](#)

Włodarczyk Z, Oko A, Glyda M, Karczewski M, Idasiak-Piechocka I, Czekalski S.
Transplant Proc. 2000 Sep;32(6):1382-3.

[Influence of ureterovesical anastomosis technique on the incidence of vesicoureteral reflux in renal transplant recipients.](#)

Ostrowski M, Włodarczyk Z, Wesołowski T, Gracz H, Sluzar T, Sierńko J, Lubikowski J, Bohatyrewicz R.
Ann Transplant. 1999;4(1):54-8.

[Vocational rehabilitation following kidney transplantation.](#)

Włodarczyk Z, Badylak E, Glyda M, Turkiewicz W, Karczewski M.
Ann Transplant. 1999;4(2):40-2.

[Perioperative single high dose ATG-Fresenius S administration as induction immunosuppressive therapy in cadaveric renal transplantation--preliminary results.](#)

Samsel R, Chmura A, Włodarczyk Z, Wyzgał J, Cieciora T, Łagiewska B, Pliszczynski J, Korczak G, Lazowski T, Paczek L, Wałaszewski J, Lao M, Rowiński W.
Ann Transplant. 1999;4(2):37-9.

[Low-dose intra-arterial thrombolysis in the treatment of phlegmasia caerulea dolens.](#)

Włodarczyk ZK, Gibson M, Dick R, Hamilton G.
Br J Surg. 1994 Mar;81(3):370-2.

[Progression of occlusive renal vascular disease and axillofemoral bypass grafts.](#)

Streather C, Włodarczyk ZC, Sneddon F, Robson D, Phillips A, Hamilton G, Scoble JE.
Nephrol Dial Transplant. 1993;8(10):1186-7.

[Radiation-induced acute femoral artery thrombosis treated by thrombolysis.](#)

Higgins JN, Włodarczyk Z, Platts AD, Hamilton G.
Br J Surg. 1992 Sep;79(9):909-10.